



city of beech grove

DPW Monthly Report

April 2018

Section 1. Work Order Information

- 13 – Pothole Requests
- 13 – Tons of Asphalt Used
- 3 – Gravel Alley Requests
- 8 – New Totes Delivered
- 3 – Broken Tote Lids Replaced
- 7 – Sign Replacements or Repairs
- 45 – Miscellaneous Work Orders
- 26 – Mattresses Collected by Ray's
- 0 – Dumpster yards for Metal
- 60 – Dumpster yards for Heavy Trash
- 60 – Dumpster yards for Wood Chips
- 30 – Dumpster yards for Brush

Section 2. Weather Events

- 4/1 – 2 inches of snow fell. Salting for 8 hours was required. Approximately 40 tons of salt were used.
- 4/8 – 1 inch of snow fell. Salting for 6 hours was required. Approximately 20 tons of salt were used.

Section 3. Street Sweeping Program

April	Tonnage – 111.68
May	Tonnage –
June	Tonnage –
July	Tonnage –
August	Tonnage –
<u>September</u>	<u>Tonnage –</u>
YTD	Tonnage – 111.68

Section 4. Upcoming Holiday Trash Schedule

Memorial Day – Monday, May 28, 2018

All routes on regular schedule.

DEPARTMENT OF PUBLIC WORKS

5520 Churchman Ave. ♦ Indianapolis, IN 46203

Office: 317.803.9098 ♦ Fax: 317.788.4983

Section 5. Solid Waste Report from Covanta

January	Tons – 322.95	Price per Ton – 33.24	Total Bill – 10,734.86
February	Tons – 301.07	Price per Ton – 33.24	Total Bill – 10,007.57
March	Tons – 335.20	Price per Ton – 33.24	Total Bill – 11,142.05
April	Tons – 385.01	Price per Ton – 33.24	Total Bill – 12,797.73
May	Tons –	Price per Ton – 33.24	Total Bill –
June	Tons –	Price per Ton – 33.24	Total Bill –
July	Tons –	Price per Ton – 33.24	Total Bill –
August	Tons –	Price per Ton – 33.24	Total Bill –
September	Tons –	Price per Ton – 33.24	Total Bill –
October	Tons –	Price per Ton – 33.24	Total Bill –
November	Tons –	Price per Ton – 33.24	Total Bill –
December	Tons –	Price per Ton – 33.24	Total Bill –
YTD:	Tons – 1,344.23	Price per Ton – 33.24	Total Bill – 44,682.21

Section 6. Hornet Recycling Program

January	Tonnage – 34.13
February	Tonnage – 31.04
March	Tonnage – 31.55
April	Tonnage –
May	Tonnage –
June	Tonnage –
July	Tonnage –
August	Tonnage –
September	Tonnage –
October	Tonnage –
November	Tonnage –
December	Tonnage –
YTD:	Tonnage – 96.72

Please encourage your neighbors to sign up for the FREE recycle program. Log onto <http://www.beechgrove.com/curbside-recycling.html> or call (317) 803-9111.

Section 7. Flow Meter Report

	Total Amount Treated	Monthly Precipitation
January	39,290,605 gallons	2.0" rain / 3.7" snow
February	61,395,234 gallons	4.7" rain / 1.4" snow
March	82,688,304 gallons	4.1" rain / 11.6" snow
April	94,488,906 gallons	5.4" rain / 2.6" snow
May		
June		
July		
August		
September		
October		
November		
December		
YTD:	183,374,143 gallons	16.2" rain / 19.3" snow

Section 8. Sanitary/Storm Sewer Report – Phil Gurganus

April 2

- Added stone to sewer repair behind 89 N. 16th.
- Checked sanitary sewer at 450 Bethel and 450 Buffalo – D41, 42. Normal flow observed.

April 3

- Cleaned catch basins at these locations:
- 4 at 13th and Main St.
- 3 at 15th and Main St.
- 4 at 2nd and Churchman Ave.
- 3 at 3rd and Churchman Ave.
- 4 at 13th and Cleveland.
- 2 at Beechwood and Detroit.
- 4 at 6th and Byland.
- 3 on Subway (cleared flooded street).
- Checked the following sanitary sewers:
- 13th and Lick Creek Bridge – F1. Surcharged.
- Chester and Main St. – G57. Surcharged.
- 38 Angela Ct. – H62. Surcharged.
- Andrea and 9th – H57. Surcharged.
- Roderick Ct. & 9th – H56. Surcharged.
- Roderick Ct. – H52. Surcharged.
- S. 9th & 465 – J64. Surcharged.
- Bethel flowmeter – K45. Backed up from interceptor.
- Beechwood and Detroit – F81. Surcharged.
- 1550 Cleveland – F92. Surcharged.
- Carrington flowmeter – J1. Surcharged.
- 9th & Buffalo – D10. Surcharged.
- 850 Buffalo – D8. Surcharged.

April 4

- Put manhole lid back on 3 interceptor manholes that blew off during surcharging of sewers.
- Responded to sewer call at 326 N. 13th – F95, 96. Normal flow.

April 5

- Cut out broken adjusting ring on manhole J64. Lowered lid to keep snow plows from hitting it.
- Supervised Duke's Root Control spraying herbicide in sanitary sewers.

April 6

- Finished working with Duke's Root Control.
- Read and recorded data from 9 flow meter locations.
- Checked condition of storm sewer at 21st and Southern.
- Filled sinkhole at school/library parking lot – D1, 2. Hole is over sanitary sewer 11' deep under pavement.
- Cleaned 1 catch basin on Albany west of village pantry.
- Looked at clogged drain at village pantry on Albany. Private structure that will be owner's responsibility.

April 9

- Checked sewer call at 2009 Southern – G123, 124. Main clear and flowing.
- Checked and inspected sewer lateral repair at 326 N. 15th.
- Checked sanitary sewer behind 710 Byland Dr. – B13, 14. Main has been lined and has normal flow.

April 10

- Met with English Excavating to discuss price quote for drainage work at 21st and Southern.
- Checked sanitary sewers at 1250 and 1150 Detroit – normal flow.
- Looked at drainage pipe extension for Adelaide with Globe and Josh.
- Looked at catch basin at S. W. corner of 6th and Byland for repair by Globe.

April 11

- Investigated sinkhole in front yard of 5543 Forest Rise Ct. – E74. Normal flow.
- Responded to sewer call at 2117 Detroit – G120. Main clear and flowing. Drain under house clogged.
- Checked sanitary sewer at 1750 Southern Ave. – F112. Normal flow.
- Checked sanitary sewer at 1550 Detroit – F96. Normal flow.
- Cleaned pipe inlet at 1750 Southern.

April 12

- Removed 2 rows of damaged bricks and replaced manhole frame and lid on manhole F68 at 1250 Cleveland. Structure had been hit by a vehicle.
- Checked depression in bridge at 5900 Churchman. Eroded void in concrete.
- Did sewer lateral repair inspection at 5348 Victory Dr. – H25. Main clear and flowing.
- Did sewer clean-out inspection of installation at 416 N. 17th Ave.

April 13

- Read and recorded data from 9 flow meter locations.
- Checked flows from ADM – K45. Normal flow observed.
- Cleaned catch basins at these locations:
- 2 at 1150 Churchman.
- 3 on Subway.
- 2 at Andrea and Yazoo.
- 4 at Yazoo and St. John's.
- 2 at Yazoo and Dangerfield.
- 1 at Biloxi and Yazoo.
- 2 at 1429 Biloxi.
- 4 at 4th and Alton.

April 16

- Witnessed IPL subcontractor televising sanitary sewer main and lateral at 5543 Forest Ridge Court. No damage to main or lateral at sinkhole.
- Checked sanitary sewers at these locations:
- 405 N. 21st – G126. Normal flow.
- Edwards Ct. – A15. Normal flow.
- Wally Ct. – A63. Broke up solids in flow line.
- Prepared for and attended city council workshop regarding sanitary sewer utility.

April 17

- Checked sanitary interceptor manhole on lick creek sewer at old landfill – K57. Replaced lid.

April 18

- Worked to clear floor drain in garage area.
- Spoke with plumber regarding septic system repair at 5335 Adelaide.
- Checked sinkhole at 5543 Forest Ridge Ct. – no change.

April 19

- Assisted Wessler Engineering with the calibration of 9 flow meters.
- Responded to sewer call at 3110 S. Emerson (Brown's Garage) – C60, 61, 62. Main clear and flowing. Private lateral clogged.
- Checked sinkhole by manhole D1 in library parking lot. No change.

April 20

- Read and recorded data from 9 flow meter locations.
- Inspected sinkhole repair at 5543 Forest Ridge Ct. by Indy Excavating & Utilities.

April 23

- Responded to sewer call at 711 Elm St. – B70. Jetted main to dead-end.
- Jetted manhole D2 and possible old lateral. This manhole has sinkhole by it in Library/School parking lot.

April 24

- Inspected sewer lateral repair at 705 S. 4th Ave.
- Worked with Wessler Engineering to photograph pipe condition in manhole D2 in Library/School parking lot.

April 25

- Re-inspected sewer lateral repair at 705 S. 4th.
- Did partial storm sewer inspection at 3116 S. Emerson.
- Checked sinkhole at Library and arranged to have pipe televised by I.E.U.

April 26

- Responded to sewer call at 261 N. 15th – F99, 100. Main clear and flowing.
- Checked sanitary sewer manholes at these location:
- 802 S. 4th – normal flow.
- 25th and Main St. – normal flow.
- 1850 Albany – broke up solids in pipe.
- 1250 Alton – normal flow.
- 950 Churchman – normal flow.

April 27

- Read and recorded data from 9 flow meter locations.
- Cleared debris from driveway culvert on Grovewood Place.
- Checked sanitary manholes at 1750 Churchman – normal flow.
- Checked sanitary sewer at BG High School on Hornet Ave. – E23. Normal flow observed.
- Raked silt out of ditch in front of 4115 Butler.

- Inspected Commercial Sewer cleaning and televising sewers to prepare for 2018 sewer lining project.

April 30

- Observed work by IEU to verify pipe size in manhole D2.
- Inspected sewer cleaning and televising by Commercial Sewer. Work was preparation for 2018 sewer lining project.

Sanitary Sewer Maintenance Record
 City of Beech Grove
 Department of Public Works

APRIL 2018

(Month-Year)

Date	Initials	Address or Location	Description of Sewer Maintenance Required	Description of Work Performed	Comments
4/3/18	P.J.G.	NUMEROUS CALL REPORTS	SEWER MAINS EXCHANGED THROUGH OUT THE CITY	MONITORED FLOWS UNTIL FLOWS DROPPED	INTERCEPTORS OVER FLOWING.
4/4/18	P.J.G.	326 N. 15 th PAUL SEUFFERHAUSE 317-788-7795	CHECKED MANHOLES F95 AND F96 - NORMAL FLOW NO BACK-UP	NOTIFIED RESIDENT MAIN WAS CLEAR.	RESIDENT WAS GOING TO HAVE PLUMBER CLEAN LATERAL
4/9/18	P.J.G.	2009 SOUTHERN LARRY ESSICK	CHECKED CITY MAIN - NO BACK-UP. 9123, 9124	NOTIFIED RESIDENT OFF FINDINGS.	RESIDENT SUSPECTED DRAINAGE WORK AT 21ST EFFECTED HIS SEWER.
4/10/18	P.J.G.	2117 DETROIT CATHY PADGUGTT 317-991-5923	CHECKED MANHOLE G120 CLEAR AND FLOWING	CHECKED CLEAN-OUT ON LATERAL - CLEAR CLOG UNDER HOUSE.	NOTIFIED RESIDENT TO CALL PLUMBER.
4/19/18	P.J.G.	3110 S. EMERSON BROWN'S GARAGE 317-544-8369	CHECKED MANHOLES C621 C601 AND C61. ALL CLEAR AND FLOWING (DEEP.)	NOTIFIED BUSINESS OF FINDINGS.	LATERAL NEEDS REPAIRED OR CLEANED.
4/23/18	P.J.G.	711 ELM ST CAROLYN YOCUM 317-677-6065	JETTED DEEP-END SEWER MAIN FROM MANHOLE B70.	NOTIFIED RESIDENT MAIN WAS CLEAR.	LEFT MESSAGE ON PHONE.
4/24/18	P.J.G.	261 N. 15 th MRS DIERKOFF	CHECKED MANHOLES F99 AND F100 IN EASEMENT BETW HOME.	CITY LINE FLOWING NORMALLY. NO BACK-UP OR BLOCKAGE	RESIDENT HAD EXPERIENCE WITH WATER IN BASEMENT DURING HEAVY RAIN.

Month: APRIL 2018

Catch Basin Cleaning Recording Form

Date	Location	Number of Catch Basins Cleaned	Total Amount Removed
4/3/18	13 th + MAIN	4	1 CUBIC FT.
	15 th + MAIN	3	1 CUBIC FT.
	2ND + CHURCHMAN	4	1 CUBIC FT.
	3RD + CHURCHMAN	3	1 CUBIC FT.
	13 th + CLEVELAND	4	1 CUBIC FT.
	BEECHWOOD + DETROIT	2	1 CUBIC FT.
	6 th + BYLAND	4	1 CUBIC FT.
	SUBWAY	3	2 CUBIC FT.
	MAIN + CLARK	3	1 CUBIC FT.
	GARSTANG + EMERSON	2	1 CUBIC FT.
4/6/18	SCHAFF ST.	3	1 CUBIC FT.
4/11/18	3200 ALBANY	1	1 CUBIC FT.
4/11/18	1750 SOUTHERN	1	2 CUBIC FT.
4/13/18	1150 CHURCHMAN	2	1 CUBIC FT.
	SUBWAY	3	2 CUBIC FT.
	ANDREA + YAZOO	2	1 CUBIC FT.
	YAZOO + ST. JOHNS CTS	4	1 CUBIC FT.
	YAZOO + DANGERFIELD	2	1 CUBIC FT.
	BILOXI + YAZOO	1	1 CUBIC FT.
	142A BILOXI	2	1 CUBIC FT.
	4 th + ALTON	4	1 CUBIC FT.