



city of beech grove

DPW Monthly Report

February 2018

Section 1. Work Order Information

- 17 – Pothole Requests
- 12 – Tons of Asphalt Used
- 2 – Gravel Alley Requests
- 7 – New Totes Delivered
- 6 – Broken Tote Lids Replaced
- 7 – Sign Replacements or Repairs
- 36 – Miscellaneous Work Orders
- 20 – Mattresses Collected by Ray's
- 0 – Dumpster yards for Metal
- 0 – Dumpster yards for Heavy Trash
- 0 – Dumpster yards for Wood Chips
- 0 – Dumpster yards for Brush

Section 2. Weather Events

- 2/4 – 0.5 inches of snow fell. Salting for 12 hours was required. Approximately 80 tons of salt were used.
- 2/6 – 0.5 inches of snow fell. Salting for 10 hours was required. Approximately 80 tons of salt were used.
- 2/7 – 0.5 inches of snow fell. Salting for 8 hours was required. Approximately 80 tons of salt were used.
- 2/11 – Slick conditions due to ice and sleet required salting for 8 hours. Approximately 60 tons of salt were used.

Section 3. Upcoming Holiday Trash Schedule

Good Friday – Friday, March 30, 2018

Tuesday routes will be collected on Tuesday, March 27, 2018.

Wednesday routes will be collected on Wednesday, March 28, 2018.

Thursday routes will be collected on Thursday, March 29, 2018.

Friday routes will be collected on the following Monday, April 2, 2018.

DEPARTMENT OF PUBLIC WORKS

5520 Churchman Ave. ♦ Indianapolis, IN 46203

Office: 317.803.9098 ♦ Fax: 317.788.4983

Section 4. Solid Waste Report from Covanta

| | | | |
|-------------|----------------------|------------------------------|-------------------------------|
| January | Tons – 322.95 | Price per Ton – 33.24 | Total Bill – 10,734.86 |
| February | Tons – 301.07 | Price per Ton – 33.24 | Total Bill – 10,007.57 |
| March | Tons – | Price per Ton – 33.24 | Total Bill – |
| April | Tons – | Price per Ton – 33.24 | Total Bill – |
| May | Tons – | Price per Ton – 33.24 | Total Bill – |
| June | Tons – | Price per Ton – 33.24 | Total Bill – |
| July | Tons – | Price per Ton – 33.24 | Total Bill – |
| August | Tons – | Price per Ton – 33.24 | Total Bill – |
| September | Tons – | Price per Ton – 33.24 | Total Bill – |
| October | Tons – | Price per Ton – 33.24 | Total Bill – |
| November | Tons – | Price per Ton – 33.24 | Total Bill – |
| December | Tons – | Price per Ton – 33.24 | Total Bill – |
| YTD: | Tons – 624.02 | Price per Ton – 33.24 | Total Bill – 20,742.43 |

Section 5. Hornet Recycling Program

| | |
|-------------|------------------------|
| January | Tonnage – 34.13 |
| February | Tonnage – 31.04 |
| March | Tonnage – |
| April | Tonnage – |
| May | Tonnage – |
| June | Tonnage – |
| July | Tonnage – |
| August | Tonnage – |
| September | Tonnage – |
| October | Tonnage – |
| November | Tonnage – |
| December | Tonnage – |
| YTD: | Tonnage – 65.17 |

Please encourage your neighbors to sign up for the FREE recycle program. Log onto <http://www.beechgrove.com/curbside-recycling.html> or call (317) 803-9111.

Section 6. Flow Meter Report

| | Total Amount Treated | Monthly Precipitation |
|-------------|-----------------------------|------------------------------|
| January | 39,290,605 gallons | 2.0" rain / 3.7" snow |
| February | 61,395,234 gallons | 4.7" rain / 1.4" snow |
| March | | |
| April | | |
| May | | |
| June | | |
| July | | |
| August | | |
| September | | |
| October | | |
| November | | |
| December | | |
| YTD: | 100,685,839 gallons | 6.7" rain / 5.1" snow |

Section 7. Sanitary/Storm Sewer Report – Phil Gurganus

February 1

- Checked the following manholes in the Park Grove subdivision. Numbered manholes for contractor and engineer for 2018 lining project. G22-25 normal flow, G33-37 normal flow, G42 normal flow, G46 normal flow, G51-54 normal flow, G61-62 normal flow. G38 broke up solids, G39 possible water main leak (reported to Citizen's), G41 dead end needs flushed out.
- Checked the following sanitary sewers:
 - 21st and Southern – normal flow.
 - 600 Bethel – normal flow.
 - 58 N. 2nd – normal flow.
 - 1450 Main St. (North Alley) – normal flow.
 - 1550 Main St. (North Alley) – normal flow.

February 2

- Read and recorded data from 9 flow meter locations.
- Located and marked sewers for Dig Safe ticket at 1974 Britton Drive. Water leak investigation by Citizen's – G39.
- Checked manhole at 5400 Churchman Parkview Apts – E40,43-47. Manhole E40 overflowing. Attempted to flush with jet machine. Blockage came loose and drained manhole.
- Applied kentseal to storm sewer lid behind the Post Office to better secure it.

February 5

- Checked the following sanitary sewers:
 - 58 N. 2nd – normal flow.
 - 1974 Britton – normal flow. Possible water leak still flowing from lateral.
 - 522 S. 4th – normal flow.
 - 295-297 N. 9th – normal flow.
 - 405 N. 21st – normal flow.
 - 2222 Main St. – normal flow.
 - 403 Byland Dr. – normal flow.

February 6

- Checked the following sanitary manholes:
 - 1850 Buffalo – normal flow.
 - 1900 Albany – Cleared and broke up solids in manhole.
 - Worked with Commercial Sewer cleaning and televising D49-D49A in alley between N. 2nd and N. 3rd from Main to Albany. Removed root around lateral that had grown into City's main line.

February 7

- Checked sanitary sewer manholes at Elmwood and Churchman – normal flow.
- Opened and inspected manholes for 2018 Sanitary Sewer Lining Project. All manholes with normal flow – G22-25, G33-42, G51-54, G61-62.
- Responded to sewer call at Auto Nerd at 102 Main Street. Request to check main line. Flushed main where lateral enters manhole.

February 8

- Checked sanitary manhole in alley south of Main 1300 to 1700. Normal flows with no back-up.

February 9

- Read and recorded data from 9 flow meter locations.
- Checked sanitary manhole at 610 Redfern Dr. – H29. Main clear and flowing. Roto-rooter planning to repair lateral.
- Checked sewer behind 142 S. 4th – C48. Normal flow in main line. Plumber is planning a repair.

February 12

- Checked manhole E47 at 5400 Churchman serving Parkview Apartments. Manhole backed up – jetted from manhole E46. Dislodged blockage of rags and grease.
- Checked sanitary sewers at these locations:
 - 403 Byland – normal.
 - 2222 Main St. – normal.
 - 405 N. 21st – normal.
 - 295-297 N. 9th – normal.
 - Holy Name School – normal.

February 13

- Rechecked sanitary sewer at Parkview apartments. Large amount of grease, rags, and solids still visible. Spoke with manager and maintenance man about ongoing problem.
- Met with Williams Comfort Air (Mr. Plumber) at 5309 Adelaide to discuss new sewer tap requirements at manhole A56.
- Flushed sanitary sewer main in the 5400 block of Churchman Ave (five segments) – in relation to Parkview Apartments.

February 14

- Cleaned catch basins at these locations:
 - 4 at 4th and Alton.
 - 4 at 5th and Albany.
 - 3 at 2nd and Churchman.
 - 2 at 3rd and Churchman.
 - 2 on Schaff.
- Inspected sanitary sewer connection at 5309 Adelaide Street.

February 15

- Inspected sewer connection at 5309 Adelaide Street.

February 16

- Read and recorded data from 9 flow meter locations.
- Cleaned catch basins at these locations:
 - 2 at Grovetree Ln. and Forest Rise Ct.
 - 4 at 13th and Main St.
 - 3 at 15th and Main St.
 - 2 at 7th and Albany.
 - 5 at 2nd and Churchman.

- 4 at 3rd and Churchman.
- 4 at 4th and Alton.
- 4 at 6th and Churchman.
- 2 at 1150 Churchman.
- 4 at 13th St. Bridge
- 2 at 13th and Parkway.
- 4 at 18th and Cleveland.
- 2 at 18th and Southern.
- 2 at 58 N. 13th.
- 4 at 5th and Churchman.
- 4 at 20th and Churchman.
- 2 at 23rd and Southern.
- 5 at Main St. and Ticen.
- 5 at 18th and Main St.
- 5 at 25th and Main St.
- Repaired sinkhole behind curb at 25th and Main St. (storm sewer pipe).
- Checked sanitary sewer at 405 N. 21st – G126. Normal flow observed.

February 20

- Checked sanitary sewer in alley behind 402 Main St. – D40A. Dead-end line. Flushed with jet to dead-end. No obstruction in main line.
- Checked sanitary sewer at 750 Alton – C31. Normal flow.
- Checked sanitary sewer at 1650 Main St. North Alley – F36. Normal flow.
- Cleaned 3 catch basins at 2nd and Alton.
- Cleaned 2 catch basins at 3rd and Alton.
- Did partial sewer lateral repair inspection at 402 Main St.

February 21

- Did final sewer lateral repair inspection at 402 Main Street.
- Cleaned catch basins at these locations:
- 3 at 5th and Albany.
- 2 at 6th and Buffalo.
- 4 at Main St. Bridge.
- 2 at 1208 Rotherham.
- 2 at 7th and Albany.
- 2 at 132 N. 5th.

February 22

- Repaired catch basin at 1208 Rotherham.
- Inspected sewer repair at 1971 Britton Drive.

February 23

- Read and recorded data from 9 flow meter locations.
- Filled sinkhole by catch basin at 850 Albany.
- Cleaned catch basins at these locations:
- 4 at 850 Albany.
- 4 at Memorial and Cherry.
- 4 at Memorial and Elm.
- 4 at 9th and Churchman.
- 2 at 7th and Churchman.

February 26

- Replaced lid on manhole K31 on interceptor sanitary sewer downstream from 13th Avenue flow meter. Blown off during rain event.
- Cleaned catch basins at these locations:
 - 5 at 2nd and Churchman.
 - 4 at 3rd and Churchman.
 - 4 at 4th and Churchman.
 - 4 at 4th and Alton.
 - 4 at 13th and Main St.
 - 2 at 14th and Albany.
 - 3 at 15th and Main St.
- Checked sanitary manhole at 710 S. 4th – A89. Normal flow observed.
- Checked sanitary sewer manholes at Churchman and Ritter – E39-40. Normal flow observed.

February 27

- Cleaned catch basins at these locations:
 - 4 at 25th and Main St.
 - 2 at 25th and Bischoff.
 - 2 at 23rd and Southern.
 - 4 at 18th and Cleveland.
 - 2 at 18th and Southern.
 - 2 at 1600 Southern.
 - 1 at 15th and Southern.
 - 3 at 15th and Detroit.
 - 2 at 16th and Detroit.

February 28

- Checked the following sanitary manholes:
 - 2222 Main St. – good flow.
 - 405 N. 21st – good flow.
 - 295-297 N. 9th – good flow.
 - 1450, 1550, 1650 Main St. – good flow.
 - 403 Byland – backed-up in 2 manholes. Used jet machine to clear blockage.
 - Repaired hole by catch basin at 9th and Elm St.

Sanitary Sewer Cleaning Report
 City of Beech Grove
 Department of Public Works

FEBRUARY 2018

(Month/Year)

| Date | Location | Upstream Manhole | Downstream Manhole | Pipe Diameter | Pipe Material | Length |
|---------|---|------------------|--------------------|---------------|---------------|--------|
| 2/6/18 | IN ALLEY BETWEEN N. 2ND + N. 3RD MAIN TO ALBANY | D 49 A | D 49 | 8" | C.I.P.P. | 480' |
| 2/7/18 | IN ALLEY BETWEEN 102 MAIN ST. | D 53 | D 52 A | 8" | V.C.P. | 200' |
| 2/12/18 | 5400 CHURCHMAN PARKVIEW APTS. | E 47 | E 46 | 8" | P.V.C. | 100' |
| 2/13/18 | 5400 CHURCHMAN PARKVIEW APTS. | E 43 | E 40 | 8" | P.V.C. | 108' |
| 2/13/18 | 5400 CHURCHMAN PARKVIEW APTS. | E 44 | E 43 | 8" | P.V.C. | 60' |
| 2/13/18 | 5400 CHURCHMAN PARKVIEW APTS. | E 46 | E 44 | 8" | P.V.C. | 381' |
| 2/13/18 | 5400 CHURCHMAN PARKVIEW APTS. | E 47 | E 46 | 8" | P.V.C. | 100' |
| 2/13/18 | 5400 CHURCHMAN PARKVIEW APTS. | E 48 | E 47 | 8" | P.V.C. | 135' |
| 2/20/18 | IN ALLEY BETWEEN 402 MAIN ST. | DEKO-ENO | D 40 A | 8" | V.C.P. | 110' |
| 2/20/18 | BETWEEN BYLAND AND FLETCHER 4th TO 6th | B 24 | B 20 | 8" | V.C.P. | 300' |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

Catch Basin Cleaning Recording Form

| Date | Location | Number of Catch Basins Cleaned | Total Amount Removed |
|---------|------------------------------|--------------------------------|----------------------|
| 2/14/18 | 4 th + ALTON | 4 | 1 CUBIC FT. |
| | 5 th + ALBANY | 4 | 1 CUBIC FT. |
| | 2ND + CHURCHMAN | 3 | 1 CUBIC FT. |
| | 3RD + CHURCHMAN | 2 | 1 CUBIC FT. |
| | SCHAFF ST. | 2 | 1 CUBIC FT. |
| 2/16/18 | GRIVETREE LN + FOREST RISE | 2 | 1 CUBIC FT. |
| | 13 th + MAIN | 4 | 1 CUBIC FT. |
| | 15 th + MAIN | 3 | 1 CUBIC FT. |
| | 7 th + ALBANY | 2 | 2 CUBIC FT. |
| | 2ND + CHURCHMAN | 5 | 2 CUBIC FT. |
| | 3RD + CHURCHMAN | 4 | 1 CUBIC FT. |
| | 4 th + ALTON | 4 | 1 CUBIC FT. |
| | 6 th + CHURCHMAN | 4 | 1 CUBIC FT. |
| | 1150 CHURCHMAN | 2 | 1 CUBIC FT. |
| | 13 th ST. BRIDGE | 4 | 1 CUBIC FT. |
| | 13 th + PARKWAY | 2 | 1 CUBIC FT. |
| | 18 th + CLEVELAND | 4 | 2 CUBIC FT. |
| | 18 th + SOUTHERN | 2 | 1 CUBIC FT. |
| | 58 N. 13 th | 2 | 1 CUBIC FT. |
| | 5 th + CHURCHMAN | 4 | 1 CUBIC FT. |
| | 20 th + CLEVELAND | 4 | 1 CUBIC FT. |
| | 23RD + SOUTHERN | 2 | 1 CUBIC FT. |
| | 25 th + MAIN | 5 | 2 CUBIC FT. |
| | MAIN + TICEN | 5 | 1 CUBIC FT. |
| 2/20/18 | 18 th + MAIN | 5 | 1 CUBIC FT. |
| | 2ND + ALTON | 3 | 1 CUBIC FT. |
| | 3RD + ALTON | 2 | 1 CUBIC FT. |

170 CATCH BASINS CLEANED
58 CUBIC FT.

Month: FEBRUARY 2018

Catch Basin Cleaning Recording Form

| Date | Location | Number of Catch Basins Cleaned | Total Amount Removed | |
|------------------------------|-----------------------------|--------------------------------|----------------------|-------------|
| 2/21/18 | 5 th + ALBANY | 3 | 1 CUBIC FT. | |
| | 6 th + BUFFALO | 2 | 1 CUBIC FT. | |
| | MAIN ST. BRIDGE | 4 | 1 CUBIC FT. | |
| | 1208 ROTHERHAM | 2 | 1 CUBIC FT. | |
| | 7 th + ALBANY | 2 | 1 CUBIC FT. | |
| 2/23/18 | 132 N. 5 th | 2 | 1 CUBIC FT. | |
| | 850 ALBANY | 4 | 1 CUBIC FT. | |
| | MEMORIAL + CHERRY | 4 | 1 CUBIC FT. | |
| | MEMORIAL + ELM | 4 | 1 CUBIC FT. | |
| 2/26/18 | 9 th + CHURCHMAN | 4 | 1 CUBIC FT. | |
| | 7 th + CHURCHMAN | 2 | 1 CUBIC FT. | |
| | 2ND + CHURCHMAN | 5 | 1 CUBIC FT. | |
| | 3RD + CHURCHMAN | 4 | 1 CUBIC FT. | |
| | 4 th + CHURCHMAN | 4 | 1 CUBIC FT. | |
| | 4 th + ALTON | 4 | 1 CUBIC FT. | |
| | 13 th + MAIN | 4 | 1 CUBIC FT. | |
| | 14 th + ALBANY | 2 | 1 CUBIC FT. | |
| | 15 th + MAIN | 3 | 1 CUBIC FT. | |
| | 2/28/18 | 25 th + MAIN | 4 | 1 CUBIC FT. |
| | | 25 th + BISCHOFF | 2 | 1 CUBIC FT. |
| 23RD + SOUTHERN | | 2 | 1 CUBIC FT. | |
| 18 th + CLEVELAND | | 4 | 1 CUBIC FT. | |
| | 18 th + SOUTHERN | 2 | 1 CUBIC FT. | |
| | 1600 SOUTHERN | 2 | 1 CUBIC FT. | |
| | 15 th + SOUTHERN | 1 | 1 CUBIC FT. | |
| | 15 th + DETROIT | 3 | 1 CUBIC FT. | |
| | 16 th + DETROIT | 2 | 1 CUBIC FT. | |