



city of beech grove

DPW Monthly Report

March 2018

Section 1. Work Order Information

- 3 – Pothole Requests
- 10 – Tons of Asphalt Used
- 3 – Gravel Alley Requests
- 17 – New Totes Delivered
- 4 – Broken Tote Lids Replaced
- 8 – Sign Replacements or Repairs
- 40 – Miscellaneous Work Orders
- 22 – Mattresses Collected by Ray's
- 0 – Dumpster yards for Metal
- 0 – Dumpster yards for Heavy Trash
- 0 – Dumpster yards for Wood Chips
- 0 – Dumpster yards for Brush

Section 2. Weather Events

- 3/8 – 0.5 inches of snow fell. Salting for 3 hours was required. Approximately 20 tons of salt were used.
- 3/21 – 3 inches of snow fell. Plowing and salting for 12 hours was required. Approximately 80 tons of salt were used.
- 3/24 – 10 inches of snow fell. Plowing and salting for 15 hours was required. Approximately 80 tons of salt were used.

Section 3. Upcoming Holiday Trash Schedule

There are no holidays during the month of April that will impact the normal trash schedule.

DEPARTMENT OF PUBLIC WORKS

5520 Churchman Ave. ♦ Indianapolis, IN 46203

Office: 317.803.9098 ♦ Fax: 317.788.4983

Section 4. Solid Waste Report from Covanta

January	Tons – 322.95	Price per Ton – 33.24	Total Bill – 10,734.86
February	Tons – 301.07	Price per Ton – 33.24	Total Bill – 10,007.57
March	Tons – 335.20	Price per Ton – 33.24	Total Bill – 11,142.05
April	Tons –	Price per Ton – 33.24	Total Bill –
May	Tons –	Price per Ton – 33.24	Total Bill –
June	Tons –	Price per Ton – 33.24	Total Bill –
July	Tons –	Price per Ton – 33.24	Total Bill –
August	Tons –	Price per Ton – 33.24	Total Bill –
September	Tons –	Price per Ton – 33.24	Total Bill –
October	Tons –	Price per Ton – 33.24	Total Bill –
November	Tons –	Price per Ton – 33.24	Total Bill –
December	Tons –	Price per Ton – 33.24	Total Bill –
YTD:	Tons – 959.22	Price per Ton – 33.24	Total Bill – 31,884.48

Section 5. Hornet Recycling Program

January	Tonnage – 34.13
February	Tonnage – 31.04
March	Tonnage – 31.55
April	Tonnage –
May	Tonnage –
June	Tonnage –
July	Tonnage –
August	Tonnage –
September	Tonnage –
October	Tonnage –
November	Tonnage –
December	Tonnage –
YTD:	Tonnage – 65.17

Please encourage your neighbors to sign up for the FREE recycle program. Log onto <http://www.beechgrove.com/curbside-recycling.html> or call (317) 803-9111.

Section 6. Flow Meter Report

	Total Amount Treated	Monthly Precipitation
January	39,290,605 gallons	2.0" rain / 3.7" snow
February	61,395,234 gallons	4.7" rain / 1.4" snow
March	82,688,304 gallons	4.1" rain / 11.6" snow
April		
May		
June		
July		
August		
September		
October		
November		
December		
YTD:	100,685,839 gallons	6.7" rain / 5.1" snow

Section 7. Sanitary/Storm Sewer Report – Phil Gurganus

March 1

- Rechecked manholes at 503 Byland and 434 Fletcher – B24, 25. Normal flow observed. Added rock salt to detour roots.
- Cleaned catch basins at these locations:
 - 1 at 9th and Elm.
 - 2 at Elm and Killian.
 - 4 at 6th and Byland.
 - 2 on Schaff.
 - 2 on Garstang.
 - 3 on Subway.
 - 4 at 13th and Cleveland.
 - 2 at 13th and Buffalo.
 - 6 at 5300-5400 Churchman.

March 2

- Read and recorded data from 9 flow meter locations.
- Checked sanitary sewer at Fazoli's on Emerson Ave – H92. Normal flow.
- Cleaned 2 catch basins at 7th and Albany.

March 5

- Checked the following sanitary sewers:
 - 58 N. 2nd – normal flow.
 - 1650 Main St. (S. alley) – normal flow.
 - Wally Ct. – broke up solids in lateral.
 - 295-297 N. 9th – normal flow.
 - 405 N. 21st – normal flow.
 - 2222 Main St. – normal flow.
 - 403 Byland Dr. – normal flow.
 - Edwards Ct. – normal flow.
 - 650 Alton – normal flow.
 - Between 6th and 7th (Alton & Bellefontaine) – uncovered manhole with normal flow.

March 6

- Cleaned catch basins at these locations:
 - 1 at 1050 Byland.
 - 2 at 12th and Byland.
 - 4 at 16th and Albany.
 - 3 at 105 N. 8th.
 - 2 at 9th and Buffalo.
- Checked and marked all manholes for 2018 Duke's Root Control Program. All normal flows observed except F71. Removed large blockage of rags and grease.

March 7

- Patched sink hole by catch basin in alley behind Post Office.
- Cleaned catch basins at these locations:
 - 4 on Hornet Ave.
 - 2 at Beechwood and Detroit.

- 3 at 15th and Detroit.
- 3 at Timber Grove Place.
- 2 on Ash Ct.

March 8

- Cleaned catch basins at these locations:
- 2 at Emerson and Elmwood.
- 2 at Emerson and Grovewood.
- 2 at Edwards and Wally Ct.
- 2 at Edwards and Gerry.
- 4 at 414 Edwards.
- 2 at Edwards and Ada Ln.
- 2 at 406 Ada Ln.
- 2 at 5 Edwards Ct.
- 2 at Edwards and Edwards Ct.
- 2 at 617 Edwards.
- 5 at Grovewood and Edwards.

March 9

- Read and recorded data from 9 flow meter locations.
- Filled sink hole next to catch basin at 406 Ada Ln.

March 12

- Completed 15 stormwater outfall inspections.
- Cleaned 1 catch basin on Roderick Ct.

March 13

- Completed 10 stormwater outfall inspections.
- Did sanitary sewer inspection for new home at 637 Alton – C36. Used old lateral at alley to connect. Normal flow observed.

March 14

- Checked the following sanitary sewers:
- 1450 Main St. – normal
- 1550 Main St. – normal
- 1650 Main St. – normal
- 2222 Main St. – normal
- 405 N. 21st – normal
- 295-297 N. 9th – normal
- 403 Byland – backed-up. Jetted with jet machine to restore flow.
- Inspected ditch cleaning at 25th and Shank Creek. English Excavating cleaned banks and added rip-rap.
- Did sewer inspection of lateral repair at 136 N. 4th Ave.

March 15

- Rechecked sanitary sewer at 403 Byland – B25. Normal flow with no back-up.

March 16

- Read and recorded data from 9 flow meter locations.
- Cleaned catch basins at these locations:
- 3 at 13th and Main St.
- 5 at Ticen and Main St.

- 3 at Mann and Clark.
- 2 at 25th and Mann.
- Worked with Commercial Sewer cleaning sewer between Byland and Fletcher, 4th to 6th – B20, B24.
- Did sanitary sewer lateral repair inspection at 225 S. 5th Ave.

March 19

- Passed out 200 letters notifying residents of Duke's Root Control program in the next 3 weeks.
- Responded to sewer call at 411 Bellefontaine – C48, 49. No back-up in manholes. Jetted as a precaution.

March 20

- Checked sanitary sewer manholes at these locations:
- 2222 Main St. – normal
- 405 N. 21st – normal
- 1650 Main St – normal
- 1550 Main St – normal
- 295-297 N. 9th – normal
- 403 Byland – normal
- 250 Main St (north alley) - normal

March 22

- Cleaned catch basins at these locations:
- 4 at Grovewood Place.
- 3 at Grovewood Dr. and Place.
- 2 at 400 Grovewood.
- 2 at Rotherham Circle.
- 2 at Valburn Ct.
- 2 at Classon and Rotherham.
- 5 at Classon and Charnwood Pkwy.
- 2 at 1030 Charnwood.
- 2 at 4th and Churchman.
- 4 at 4th and Alton.
- 4 at 3rd and Churchman.
- 4 at 6th and Churchman.
- 2 at 7th and Churchman.
- 2 at 8th and Churchman.
- 6 at 10th and Churchman.
- 1 at 1009 Byland.
- 2 at 12th and Byland.
- 1 at 12th and Bethel.

March 23

- Read and recorded data from 9 flow meter locations.
- Filled and patched sinkhole between sanitary manholes D1 and D2. May need dug up in the future. Manholes are in the school/library parking lot. Normal flow in line.
- Checked sanitary manhole at 405 N. 21st – G126. Normal flow.
- Patched small hole by catch basin on Hornet Ave.
- Checked sanitary sewer at 428 N. 24th – G115. Normal flow.

- Met with resident at 521 Charnwood Pkwy about drainage issues in the backyard.
- Met with Josh Sherron to discuss drainage improvement at 802 Ash St.

March 26

- Helped find second clean-out at 1913 Albany – G71. Checked next manhole downstream – normal flow. Met with owner and plumber to discuss sewer lateral location.

March 27

- Checked sanitary sewer at 1507 St. John's Ct. South – H55. Normal flow with no back-up.
- Met with property owner at 89 N. 16th to discuss sewer repair- F35. Normal flow in sewer.
- Cleaned catch basins at these locations:
 - 2 at 13th and Main St.
 - 3 at 15th and Main St.
 - 4 at 4th and Alton St.
 - 2 at 3rd and Alton St.
 - 4 at 3rd and Churchman.
 - 2 at 17th and Mann Dr.
 - 2 at 5th and Buffalo.
- Checked sanitary sewer manholes K31 and F1 near 13th St. flow meter – normal flows.

March 28

- Responded to sewer call at 1611 Main St. – F4, 7. No back-up with normal flow.
- Checked sanitary sewer at 405 N. 21st – G126. Normal flow.
- Inspected sewer repair in alley behind 89 N. 16th Ave. Main cracked and separated at pipe joint.

March 29

- Flushed sewer in alley between N. 15th and N. 16th from Albany to Main St. – F34, 35. Sewer repair was completed.
- Flushed main sewer in alley between N. 4th and N. 5th from Bethel to Buffalo – D41, 42.
- Read and recorded data from 9 flow meter locations.

Catch Basin Cleaning Recording Form

Date	Location	Number of Catch Basins Cleaned	Total Amount Removed
3/2/18	9 th + ELM	1	1 CUBIC FT.
	ELM + KILLIAN	2	1 CUBIC FT.
	6 th + BYLAND	4	1 CUBIC FT.
	SCHAFF ST.	2	1 CUBIC FT.
	GARSTANG	2	1 CUBIC FT.
	SUBWAY	3	2 CUBIC FT.
	13 th + CLEVELAND	4	1 CUBIC FT.
	13 th + BUFFALO	2	1 CUBIC FT.
	5300 - 5400 CHURCHMAN	6	2 CUBIC FT.
3/2/18	7 th + ALBANY	1	2 CUBIC FT.
3/6/18	1050 BYLAND	1	1 CUBIC FT.
	12 th + BYLAND	2	1 CUBIC FT.
	16 th + ALBANY	4	1 CUBIC FT.
3/7/18	105 N. 8 th	3	1 CUBIC FT.
	9 th + BUFFALO	2	1 CUBIC FT.
	HORNET AVE	4	1 CUBIC FT.
	BERCHWOOD + DETROIT	2	1 CUBIC FT.
	15 th + DETROIT	3	1 CUBIC FT.
	TIMBER GROVE PLACE	3	2 CUBIC FT.
	ASH CT	2	1 CUBIC FT.
3/8/18	EMERSON + ELMWOOD	2	1 CUBIC FT.
	EMERSON + GROVEWOOD DR.	2	1 CUBIC FT.
	EDWARDS + WALLY CT.	2	1 CUBIC FT.
	EDWARDS + GERRY	2	1 CUBIC FT.
	414 EDWARDS	4	1 CUBIC FT.
	EDWARDS + ADA LN.	2	1 CUBIC FT.

153 CATCH BASINS CLEANED
62 CUBIC FEET.

Month: MARCH 2018

Catch Basin Cleaning Recording Form

Date	Location	Number of Catch Basins Cleaned	Total Amount Removed
3/8/18 (CONT.)	406 ADA LN.	2	1 CUBIC FT.
	5 EDWARDS CT.	2	1 CUBIC FT.
	EDWARDS + EDWARDS CT.	2	1 CUBIC FT.
	617 EDWARDS	2	1 CUBIC FT.
	GROVEWOOD + EDWARDS	5	1 CUBIC FT.
3/12/18	RODBECK CT.	1	2 CUBIC FT.
3/16/18	13 th + MAIN	3	1 CUBIC FT.
	TICEN + MAIN	5	1 CUBIC FT.
3/22/18	MANN + CLARK	3	1 CUBIC FT.
	25 th + MANN	2	1 CUBIC FT.
	GROVEWOOD PLACE	4	1 CUBIC FT.
	GROVEWOOD DR + PL.	3	1 CUBIC FT.
	400 GROVEWOOD DR.	2	1 CUBIC FT.
	ROTHERHAM CIRCLE	2	1 CUBIC FT.
	VALBURN CT.	2	1 CUBIC FT.
	CLASSON AND CHARWOOD	5	1 CUBIC FT.
	CLASSON AND ROTHERHAM	2	1 CUBIC FT.
	1030 CHARWOOD	2	1 CUBIC FT.
	4 th + CHURCHMAN	2	1 CUBIC FT.
	4 th + ALTON	4	1 CUBIC FT.
	3 rd + CHURCHMAN	4	1 CUBIC FT.
	6 th + CHURCHMAN	4	1 CUBIC FT.
3/27/18	7 th + CHURCHMAN	2	1 CUBIC FT.
	8 th + CHURCHMAN	2	1 CUBIC FT.
	13 th + MAIN	2	1 CUBIC FT.
	15 th + MAIN	3	1 CUBIC FT.

